

INDEX

(For Supplementary Solutions and Tables See Page 416)

| | PAGE | | PAGE |
|---|-------|--|---------|
| Air Box, Cold, Shoe for | 224 | Boot, Angular, Round to Rectangular. Simplified Demonstration | 181 |
| Air Chute for Port Hole | 278 | Boot, Furnace, Round to Rectangular, Solved with the Aid of a Plan | 165 |
| Air Chute in One Piece | 279 | Boot, Offset, Oval to Round, Solved Without the Aid of a Plan | 167 |
| Alphabetical List of Terms and Definitions | 24 | Boot, Three Piece of Ninety Degree, Forty Five Degree or Straight Connection | 177 |
| Angle, Given, to Bisect | 27 | Bow Pen, Uses of | 10, 11 |
| Angle, to Transfer Any | 27 | Bow Pencil, Uses of | 11 |
| Angles of Various Formations, Definitions of | 15 | Branches: | |
| Angular Boot, Round to Rectangular. Simplified Demonstration | 181 | Fitting, Two Branch. Simplified Demonstration.... | 266 |
| Angular Elbows, Two Pieced, Developed by Means of Plan | 153 | Irregular Three Way | 209 |
| Angular Elbows, Two Pieced, Developed Without Aid of Plan | 155 | T, Development of. Simplified Method | 312 |
| Arc, to Find Center of | 27 | Tapering Y, Developed from Scalene Cones | 194 |
| Area and Capacity of Round Tank, Finding | 361 | Tapering Y, Round to Round. Simplified Demonstration | 189 |
| Area and Capacity of Square Tank, Finding | 362 | Three Way, Halves Symmetrical, Center Branch Conical. Side Branches Developed by Triangulation | 207 |
| Area, Capacity and Convex Surface of a Round Tapering Tank | 363 | Three Way, Shortened Layout of | 331 |
| Area, Capacity and Convex Surface of a Square Tapering Grain Hopper | 362 | Y, with Straight Back, Laying Out. A Quick Method | 330 |
| Area of Transformer Base, Finding | 357 | Bull Head, Circular, In Gas House Piping | 228 |
| Areas and Circumferences of Circles from 1-64 to 100, Table of | 365 | Buoy, Mooring | 286 |
| Areas of Large Transformer, Obtaining | 355 | Calculating Pipe Sizes with the Steel Square | 368 |
| Areas of Ventilation Pipe, Computing | 273 | Can Top, Oil | 87 |
| Assembling Double Stack for Steamer | 290 | Can Top, Refuse | 86, 236 |
| Automobile Dash | 291 | Canopy, Large, Construction of from Light Angle Irons, with Sheet Metal Coverings | 344 |
| Automobile Hoods, Tapering | 293 | Can Top, Open Flaring | 328 |
| Automobile Mud Guard | 305 | Capacity, Area and Convex Surface of Round Tapering Tank | 363 |
| Automobile Radiator, "V" Front | 292 | Capacity, Area and Convex Surface of Square Tapering Grain Hopper | 362 |
| Automobile Seat Backs | 301 | Capacity of Square Tank | 362 |
| Automobile Sheet Metal Work | 291 | Center of Given Arc, to Find | 27 |
| Automobile Sheet Metal Work, Definitions of | 23-24 | Central Intersection Between a Horizontal Round Pipe and a Right Cone | 116 |
| Base of Smoke Stack | 150 | Central Intersection Between a Vertical Cylinder and Frustum of a Right Cone | 119 |
| Bath, Sitz | 110 | Central Intersection Between an Oblique Rectangular Pipe and the Frustum of a Right Cone | 126 |
| Belt Guard, Bevel and Pattern for | 348 | Chamber in a Water Trough, Simplified Demonstration | 237 |
| Belt Guard, Reinforced | 349 | Chimney Base, Short Rule for | 322 |
| Belt Guards, Construction of | 347 | Chimney Cap, Flaring | 103 |
| Bends, Circular, in Round Pipe | 143 | Chute, Air, for Port Hole | 278 |
| Bevel and Pattern for Belt Guard | 348 | | |
| Bilge Pump, Tank and. Short, Accurate Method.... | 284 | | |
| Blower to Ventilation Pipe, Transition Connection. Shortened Method | 273 | | |
| Body, Automobile Streamline, Combined with Tapering Dash Hood | 308 | | |
| Boiler Cover | 146 | | |
| Bonnet, Furnace | 104 | | |

| | PAGE | | PAGE |
|---|------|--|-------|
| Chute, Air, in One Piece | 279 | Conical Hopper, Joining an Inclined Cylinder at its Apex | 234 |
| Chute, Spiral, Details for | 229 | Conical Hopper, Oval Shape to Round | 148 |
| Circle, Definition of Parts | 17 | Conical or Radial Line Forge Hood | 340 |
| Circle, to Describe About a Given Triangle | 27 | Conical Surfaces, Development of | 100 |
| Circle, to Inscribe in a Given Triangle | 27 | Connecting Two Down Spouts to One Pipe | 330 |
| Circle Through Any Three Given Points Not in a Straight Line, to Draw | 27 | Connecting Two Pipes of Elliptical Profiles to Form an Offset | 171 |
| Circles, Circumferences and *Areas of, from 1-64 to 100, Table of | 365 | Connection, Tapering, from Duct Line to Ventilator . | 271 |
| Circular Bends in Round Pipe | 143 | Connection to Round Pipe, Tapering | 111 |
| Circular Bull-Head in Gas House Piping | 228 | Constructing Section of Cylinder | 103 |
| Circumference, Convex Surface, Area and Capacity of Round Tank, Finding | 361 | Continuing Main, with Branches Deducted, Obtaining Size by Aid of Steel Square | 369 |
| Circumferences and Areas of Circles from 1-64 to 100, Table of | 365 | Cover, Boiler | 146 |
| Coal Hod, Funnel, Simplified Demonstration | 241 | Cover, Pitched Rectangular | 106 |
| Cog Wheel Guard, Large | 347 | Cover with Semi-Circular Ends | 105 |
| Cold Air Box, Shoe for | 224 | Cube, The | 32 |
| Cold Air Connection to Furnace | 183 | Curve Fitting, Compound Double | 262 |
| Collar for Furnace, Irregular Expansion | 235 | Curved Elbow, Compound, in Rectangular Pipe | 56 |
| Collar, Shoe, Round to Oblong with Semi-Circular Ends | 85 | Curved Elbow, Inclined | 264 |
| Collector, Dust, Inlet Box for | 123 | Curved Elbows Having Square or Rectangular Profile | 43 |
| Combination Smoke Stack and Ventilator | 325 | Curved Reducing Elbow, Compound | 59 |
| Comparison of Cylindrical and Conical Section | 102 | Curves, Drafting, Irregular, Uses of | 11 |
| Compasses, Uses of | 10 | Curvilinear Figures of Various Formations, Definitions of | 16-18 |
| Compound Curved Elbow in Rectangular Pipe | 56 | Cylinder, The | 32 |
| Compound Curved Reducing Elbow | 59 | Cylinder and Horizontal Rectangular Pipe, Intersection Between. Simplified Demonstration | 216 |
| Compound Double Curve Fitting | 262 | Cylinder, Inclined, Joining Conical Hopper | 234 |
| Compound Offset in Oblong Pipe | 46 | Cylinder Intersected at End by Oblique Rectangular Pipe, Tangent at One Side | 93 |
| Compound Offset in Rectangular Pipe | 45 | Cylinder Intersecting an Oblique Cone | 213 |
| Compound Offset, Transitional, From Round to Rectangular | 163 | Cylinder Intersecting Side of Elbow, Tangent at One Side | 91 |
| Computing Areas of Ventilation Pipe | 273 | Cylinder Intersecting the Frustum of a Right Cone, Centrally, at an Oblique Angle | 123 |
| Computation Applied to Obtaining Patterns of Ship's Ventilator | 255 | Cylinder, Oblique, Intersecting Frustum of a Right Cone, Eccentrically | 127 |
| Computation Applied to Obtaining Patterns of Tapering Connection | 273 | Cylinder Penetrating a Transition Piece | 222 |
| Cone, a Right, Definition of | 100 | Cylinder, Vertical, Intersecting Frustum of Right Cone | 119 |
| Cone Cut by a Plane Parallel to One Side | 108 | Cylindrical and Conical Section, Comparison of | 102 |
| Cone, Envelope of and Frustum | 101 | | |
| Cone, Frustum of | 101 | Dash, Automobile | 291 |
| Cone, Frustum of Scalene | 32 | Dash Hood, Tapering, Combined with Streamline Body | 308 |
| Cone, Generated by Revolution | 101 | Describing the Geometrical Formations | 25-33 |
| Cone, Geometrical Character of | 100 | Details for a Spiral Chute | 229 |
| Cone, Oblique, Intersected by Cylinder | 213 | Details of Galvanized Iron Rowboat | 287 |
| Cone, Right | 32 | Diameter of Round Main in a Two Branched Fork .. | 370 |
| Cones, Intersections of Two at an Oblique Angle..... | 132 | Diameter of Round Main in Three Pronged Fork | 370 |
| Cones, Scalene or Oblique | 101 | Diameter of Round Main of Area Equal to That of Two Square Branches | 367 |
| Cones, Scalene, Developed From Tapering Forks..... | 196 | Diameters, Neutral, in Working Heavy Gauge Metal . | 274 |
| Cones, Two, Intersections of, at an Oblique Angle... 132 | | Dimension of Rectangular Vertical Flue to Have the Combined Areas of Six Vent Ducts | 368 |
| Cones, Two Intersections of, at an Oblique Angle, Alternative Method | 135 | | |
| Conical Boss, Spout and | 285 | | |

| | PAGE | Elbows — continued: | PAGE |
|--|------|---|-------|
| Dimensions of Rectangular Pipe, of Equal Area to Given Round Pipe | 366 | Square or Rectangular | 40 |
| Dimensions of Rectangular Pipe of Equal Area to That of Two Round Branches | 366 | Tapering. A Short Rule | 327 |
| Diameter of Main Pipe of Equal Area to Three Branches | 366 | Tapering, in Ventilating System. A Short Method .. | 269 |
| Dividers, Plane, Uses of | 10 | Three Piece. By Simplified Method of Triangulation | 160 |
| Double Curve Fitting, Compound | 262 | Three Piece Ninety Degree | 35 |
| Double Offset in Pipe Work | 142 | Three Piece, Rectangle to Square | 161 |
| Double Offset in Round Pipe | 62 | Three Piece, Round to Round, with the Aid of a Plan | 157 |
| Double Stack for Steamer, Constructing | 288 | Three Piece, Round to Round, Without the Aid of a Plan | 159 |
| Down Spouts, Two, Connecting to One Pipe | 330 | Three Piece, Sixty Degree, Tapering | 139 |
| Drafting Table, Adjustable | 8 | Three Piece Transition, Square to Round, Straight on One Side | 161 |
| Drawing Boards | 7, 8 | Transitional, Connecting Rectangular Pipes. Simple Method | 317 |
| Drawing Instruments and Materials | 7 | Transitional. Formal Rule | 319 |
| Duct Line, Tapering Connection from to Ventilator .. | 271 | Transitional, Rectangle to Rectangle | 240 |
| Dust Collector Inlet Box | 123 | Twisted | 63 |
| Dust Collector, Strip, Spiral | 231 | Two Piece, Angular, Developed by Aid of Plan.... | 153 |
| Edges for Riveting Ship's Ventilator, Allowance for .. | 247 | Two Piece, Angular, Developed Without Aid of Plan | 155 |
| Edges for Seaming Ship's Ventilator, Allowance for .. | 247 | Two Piece, Ninety Degree | 35 |
| Elbows: | | Two Piece, Oval to Round—Halves not Symmetrical, Preparing Plan and Elevation of | 156 |
| Around a Cylinder | 51 | Y Offset | 47 |
| Around a Cylinder, Construction of | 53 | Elevation and Miter Lines of Elbow | 88 |
| Around a Cylinder, Joining Miters of | 53 | Elliptical Elbows | 39 |
| Compound Curved, in Rectangular Pipe | 56 | Elliptical Formations, Construction of | 30 |
| Compound Curved, Reducing | 59 | Ellipse, Definition of | 18 |
| Construction of | 37 | Ellipse, to Describe | 30 |
| Curved, Having Square or Rectangular Profile | 42 | Erasers, Uses of | 13 |
| Curved, Square or Rectangular, Constructive Feature of | 42 | Exhaust Pipe Connection to Switch | 226 |
| Double Offset, True Elevation and Miter Lines of .. | 88 | Exhaust Piping, Fittings for | 116 |
| Elliptical | 39 | Exhaust Piping, Heating and Ventilation, Definitions.21—23 | 21—23 |
| Five Piece | 36 | Expansion Collar for Furnace, Irregular | 235 |
| For Furnace Work. A Quick Method | 311 | Extracting Square Root | 367 |
| Four Piece, Ninety Degree | 36 | | |
| Four Pieced Ninety Degree, Tapering | 140 | Fan Housing, Radiator, Pattern Details for | 302 |
| Four Piece, Oval to Round. Simple Method | 174 | Fitting, Compound Double Curve | 262 |
| Four Piece, with Seam at Side | 37 | Fitting, Four Pronged, With the Aid of a Plan | 204 |
| Hand Peened | 38 | Fitting, Irregular, Round to Round, at Different Angles, to Vertical and Horizontal Connections. Simplified Demonstration | 200 |
| Inclined Curved | 264 | Fitting, Three Pronged. Simplified Demonstration ... | 202 |
| Intersecting Cylinder | 89 | Fitting, Two Branch. Simplified Demonstration | 266 |
| Intersection of by Cylinder or Branch Pipe | 91 | Fitting, Two Pronged, Oval to Round | 194 |
| Junction of a Pipe with Two Elbows of Unequal Diameter | 218 | Fittings for Heating, Ventilation, Blower and Exhaust Piping | 116 |
| Large Full Size, Obtaining Patterns for from Reduced Drawings | 354 | Five Conic Sections, The | 103 |
| Of any Size or Number of Pieces, Developing with Protractor or Triangles | 42 | Five Piece Elbow | 36 |
| Of Given Throat Measurement, Obtaining a Full Set of Patterns for | 312 | Flaring Chimney Cap, Obtaining Pattern by Computation | 104 |
| Oval to Round | 161 | Flaring Chimney Cap, Forming a Right Cone | 103 |
| Rises of, Table Computed in Decimals | 311 | Flaring Oval Pan | 110 |
| Riveted, Pieced, of No. 11 Gauge Metal | 336 | Flaring Top, Open, on Movable Can | 328 |

| | PAGE | | PAGE |
|--|-------|--|-------|
| Forge Hood, Portable, Conical or Radial Line | 340 | Guard, Belt, Bevel and Pattern for | 348 |
| Forge Hoods, Portable | 340 | Guard, Belt, Reinforced | 349 |
| Fork, Two Pronged, Round to Round, Without the Aid of a Plan | 187 | Guard for Cog Wheel, Large | 347 |
| Fork, Two Pronged, Square to Round | 186 | Guard, Mud, Automobile | 305 |
| Fork, Two Pronged, Straight on One Side | 191 | Guard, Safety, Around Tumbling Barrel | 349 |
| Four Piece Elbow, Oval to Round. Simple Method .. | 174 | Guards, Machinery and Belt, Construction of | 347 |
| Four Piece Elbow with Seam at Side | 37 | Gusset Piece Between Two Round Pipes of Dissimilar Diameters | 96 |
| Four Piece Ninety Degree Elbow | 36 | Gusset Piece Between Oblique Elliptical Pipe and Horizontal Round Pipe | 98 |
| Four Piece Ninety Degree Tapering Elbow | 140 | | |
| Four Pronged Fitting, With the Aid of a Plan | 204 | Hammered Ship's Ventilator With Round Mouth and Round Base, Made in Four Longitudinal Sections, Short Rule for | 248 |
| French Type of Motor Hood | 295 | Hammered Ship's Ventilator with Round Mouth and Round Base Made in Eight Longitudinal Sections | 249 |
| Frustum of Cone | 101 | Hand Peened Elbows | 38 |
| Frustum of Hexagonal Pyramid | 108 | Hand Peened Elbows, Construction of Long Seams in | 39 |
| Frustum of Right Cone and Rectangular Pipe, Placed Diagonally, Intersection Between | 120 | Heater Fittings, Single Register. Simplified Demon- stration | 220 |
| Frustum of Right Cone, Central Intersection to Ver- tical Cylinder | 119 | Heating, Ventilation and Exhaust Piping, Definitions | 21-23 |
| Frustum of Right Cone Centrally Intersecting Cylinder at an Oblique Angle | 124 | Heating, Ventilation, Blower and Exhaust Piping, Fit- tings for | 116 |
| Frustum of Right Cone Intersected by Oblique Cyl- inder, Eccentrically | 127 | Heavy Metal Trough | 280 |
| Frustum of Right Cone, Intersected by Oblique Rec- tangular Pipe Placed Eccentrically | 130 | Hexagon, to Construct | 28 |
| Frustum of Right Cone Intersecting Horizontal Rec- tangular Pipe, Centrally | 118 | Hexagonal Pyramid, Frustum of | 108 |
| Frustum of Right Cone, Making Tangent Intersection with Horizontal Round Pipe | 122 | Height of Round Tank of Given Diameter and Con- tents in Gallons, Finding | 362 |
| Frustum of Square Pyramid or Transition Piece | 107 | Height of Square Tank of Given Bottom Dimensions and Contents in Gallons, Finding | 362 |
| Full Set of Patterns for Elbow of Given Throat Meas- urement | 312 | Height of Tapering Round Measure When the Diam- eters and Number of Gallons are Given | 364 |
| Full Size Patterns Obtained by Means of Reduced Drawings | 351 | Height of Tapering Square Hopper of Given Dimen- sions and Contents in Bushels | 363 |
| Full Size Taper Joint | 351 | Hood, Automobile Dash | 291 |
| Funnel Coal Hod. Simplified Demonstration | 241 | Hood, Furnace, in Any Number of Pieces | 316 |
| Furnace Boot, Round to Rectangular, Solved with the Aid of a Plan | 165 | Hood, Large, Patterns Laid Out by Computation. A Quick Method | 320 |
| Furnace Collar, Irregular Expansion | 235 | Hood, Motor, French Type of | 295 |
| Furnace Fitting, Two Pronged, Rectangular to Round. Simplified Method | 193 | Hood, Smoke, Vertical on One Side | 152 |
| Furnace Hood in Any Number of Pieces | 316 | Hoods, Tapering, Automobile | 293 |
| Furnace Hood or Bonnet | 104 | Hood, Tapering, Dash, Combined with Streamline Body | 308 |
| Furnace Work, Elbows for. A Quick Method | 311 | Hood, Torpedo Dash | 291 |
| | | Hoods, Portable Forge | 340 |
| Galvanized Iron Rowboat, Details of | 287 | Hoods, Portable Forge, Conical or Radial Line | 340 |
| Gasoline Tank, Construction and Pattern for | 281 | Hoods, Portable Forge, Developed by Triangulation . | 341 |
| Gasoline Tank, Finding Rivet Centers for | 283 | Hopper, Conical, Joining an Inclined Cylinder at Its Apex | 234 |
| Geometrical Character of the Cone | 100 | Hopper, Conical, Oval Shape to Round | 148 |
| Geometrical Problems | 25 | Hopper, Grain, Square Tapering, Area, Capacity and Convex Surface of | 362 |
| Geometrical Solids | 31-32 | Hopper, Irregular, Grain | 232 |
| Geometry, Plane and Solid | 25 | Hopper, Tapering Square, of Given Dimensions and Contents in Bushels, Height of | 363 |
| Grain Hopper, Irregular | 232 | | |
| Grain Hopper, Square Tapering, Area, Capacity and Convex Surface of | 362 | | |
| Grain Spout Offset | 54 | | |

| | PAGE | | PAGE |
|---|------|--|--------|
| Horizontal Rectangular Pipe, Intersecting the Frustum of a Right Cone, Centrally | 118 | Joint, Tee, Irregular | 238 |
| Horizontal Round Pipe Making a Tangent Intersection with the Frustum of a Right Cone | 122 | Joint, Y, Rectangular to Round, Patterns of From Reduced Dimensions | 357 |
| Hyperbola, Definition of | 19 | Joints, Constructing for Pipe Intersection | 118 |
| | | Joints, Round Taper | 316 |
| Inclined Curved Elbow | 264 | Junction of Pipe with Two Elbows of Unequal Diameter | 218 |
| Ink, Drafting, Uses of | 13 | | |
| Inlet Box for Dust Collector | 123 | Large Full Size Elbows from Reduced Drawings | 354 |
| Intersections: | | Large Hood Patterns Laid Out by Computation. A Quick Method | 320 |
| Cones (Two), at an Oblique Angle | 132 | Large Transformer, Rectangle to Round. Obtaining Patterns by Means of Reduced Drawings | 355 |
| Cones (Two), at an Oblique Angle, Alternative Method | 135 | Lines, Straight and Curved, Definitions of | 14, 15 |
| Cylinder and Horizontal Rectangular Pipe. Simplified Demonstration | 216 | Lip, Measure. A Short Rule | 329 |
| Cylinder and Side of Elbow, Tangent at One Side . | 91 | "Liverpool" Smoke Head | 254 |
| Cylinder by Oblique Cone | 213 | Long and Shortened Methods of Triangulation, Uses of | 145 |
| Cylinder to Frustum of a Right Cone, Centrally, at an Oblique Angle | 124 | | |
| Elbow and Cylinder | 89 | Machinery Guards, Belt Guards, etc., Construction of | 347 |
| Frustum of Right Cone and an Oblique Rectangular Pipe Placed Eccentrically | 130 | Main, Continuing, with Branches Deducted, Obtaining Size by Aid of Steel Square | 369 |
| Frustum of Right Cone and a Rectangular Pipe, Placed Diagonally | 120 | Main Pipe of Equal Area to Three Branches, Diameter of | 366 |
| Horizontal Rectangular Pipe and Frustum of a Right Cone | 118 | Main, Round, of Area Equal to That of Two Square Branches, Diameter of | 367 |
| Horizontal Round Pipe and a Right Cone | 116 | Main, Round, in Three Pronged Fork, Finding Diameter of | 370 |
| Oblique Cylinder and Frustum of Right Cone, Eccentrically | 127 | Main, Round, in Two Branched Fork, Finding Diameter of | 370 |
| Oblique Rectangular Pipe and Frustum of Right Cone, Central | 126 | Main, Square, in Three Branched Fitting Whose Outlets are Square but Vary in Size | 370 |
| Round Pipe, Horizontal, Making a Tangent Intersection with the Frustum of a Right Cone | 122 | Marine Sheet Metal Work | 244 |
| Tapering Branch and Rectangular Pipe at an Oblique Angle in Elevation | 115 | Measure, Tapering Round, Height of, When the Diameters and Number of Gallons are Given | 364 |
| Two Right Cones, Whose Axes Run Parallel | 137 | Measure Lip. A Short Rule | 329 |
| Vertical Cylinder and Frustum of Right Cone | 119 | Mensuration Applied to Sheet Metal Work | 361 |
| Intersections of Solids and Development of Surfaces | 34 | Metal Rowboat, Construction of | 286 |
| Involute, Definition of | 19 | Miter Joint of Tees, Construction of | 69 |
| Irregular Grain Hopper | 232 | Miter Line of Elbow, Rise of, Obtaining with Triangles and by Computation | 44 |
| Irregular Expansion Collar for Furnace | 235 | Miter Lines of Elbow Having Double Offset | 88 |
| Irregular Fitting, Round to Round, at Different Angles, to Vertical and Horizontal Connections. Simplified Demonstration | 200 | Model Refuse Can Top | 86 |
| Irregular Tee Joint | 238 | Mooring Buoy | 286 |
| Irregular Three-Way Branch | 209 | Motor Hood, French Type of | 295 |
| Irregular Y, Forming a Transition from a Rectangular Main, to Vertical, Round and Horizontal Square Branches. Simplified Demonstration | 197 | Movable Can Top, Open Flaring | 328 |
| | | Mud Guard, Automobile | 305 |
| Joint, Reducing, of No. 13 Gauge Metal | 338 | | |
| Joint, Reducing, Square Pipe. A Quick Method..... | 315 | Neutral Diameters in Heavy Gauge Metal | 274 |
| Joint, Slight Taper. Quick Method | 326 | Ninety Degree Tee for Dissimilar Pipes Placed on Centers | 71 |
| Joint, Taper, Full Size | 351 | Ninety Degree Tee Joint Between Pipes of Equal Diameter | 68 |
| Joint, Taper, Level at Bottom. A Short Rule | 328 | | |
| | | Oblique Cone, Intersected by Cylinder | 213 |

| | PAGE | | PAGE |
|--|------|--|--------|
| Oblique Cylinder Intersecting the Frustum of a Right Cone, Eccentrically | 127 | Pencils, Drafting, Uses of | 13 |
| Oblique Elliptical Pipe and Horizontal Round Pipe, Connected by Gusset Piece | 98 | Pentagon, to Construct | 29 |
| Oblique Offset in Rectangular Pipe | 53 | Perimeter, Outer Surface, Area and Capacity of a Square Tank, Finding | 362 |
| Oblique Offset in Round Pipes of Different Angles .. | 61 | Perpendicular, to Drop from any Given Point | 26 |
| Oblique Rectangular Pipe and Frustum of Right Cone, Central Intersection Between | 126 | Perpendicular Near the End of a Given Line, to Erect .. | 26 |
| Oblique Rectangular Pipe Intersecting a Cylinder at End, Tangent at One Side | 93 | Perpendicular to a Given Line, to Erect | 26 |
| Oblique Round Pipe, Intersecting Main Round Pipe Centrally at End | 94 | Pieced Elbows, Riveted, of No. 11. Gauge Metal | 336 |
| Oblique Tee Joint Between Pipes of Equal Diameter at an Oblique Angle | 69 | Pilot Head | 257 |
| Oblique Tee Joint Between Round and Rectangular Pipes | 75 | Pilot House Window Shield | 275 |
| Oblong Pipe Offset, Compound | 46 | Pipe Connection to a Switch | 226 |
| Obtaining Rise of Miter Line with Triangles and by Computation | 44 | Pipe in Trunk Line System, Sizes of | 369 |
| Octagon, Regular, to Construct | 28 | Pipe Sizes, Calculating by Aid of the Steel Square .. | 368 |
| Oil Can Top | 87 | Pipe, Tapering, Without Use of Radius. Short Method | 326 |
| Offsets: | | Pipe Work, Development of | 34 |
| Boot, Oval to Round, Solved Without the Aid of a Plan | 167 | Pitched Rectangular Cover | 106 |
| Compound, in Rectangular Pipe | 45 | Plan and Elevation of Two Piece Elbow, Oval to Round — Halves Not Symmetrical | 156 |
| Compound, in Oblong Pipe | 46 | Plane Cutting Cone Parallel to One Side | 108 |
| Connecting Two Pipes of Elliptical Profiles to Form an | 171 | Plane Cutting Top of Cone | 101 |
| Double, in Pipe Work | 142 | Plane Figures of Various Formations, Definitions of | 15, 16 |
| Double in Round Pipe | 62 | Polygons of Various Formations, Definitions of | 17 |
| Grain Spout | 54 | Polyhedrons, Regular | 20, 21 |
| Oblique, in Rectangular Pipe | 53 | Portable Forge Hoods | 340 |
| Oblique in Round Pipes of Different Angles | 61 | Port Hole Air Chute | 278 |
| Transition, Rectangular to Square | 80 | Prisms, The | 32 |
| Transition, Round to Oblong with Semi-Circular Ends | 84 | Pronged Fitting, Four, With the Aid of a Plan | 204 |
| Transition Tee, Square to Rectangular | 81 | Pronged Fitting, Three. Simplified Demonstration.... | 202 |
| Transitional, Compound, From Round to Rectangular | 163 | Pronged Fitting, Two, Oval to Round | 194 |
| Transitional, Rectangle to Square | 170 | Pronged Fork, Two, Square to Round | 186 |
| Twisted, in Rectangular Pipe | 79 | Pronged Fork, Two, Straight on One Side | 191 |
| Offset, Twisted Rectangular, Full Size Patterns for | 352 | Pronged Furnace Fitting, Two, Rectangular to Round. Simplified Method | 193 |
| Y Elbows, Fitting | 48 | Protractor, Uses of | 12 |
| Open Flaring Top on Movable Can | 328 | Pump, Tank and Bilge. Short, Accurate Method | 284 |
| Oval Fitting, Twisted, Solved by the Simplified Method | 148 | Pyramid, The | 32 |
| Oval Pan, Flaring | 110 | Pyramid, Hexagonal, Frustum of | 108 |
| Oval to Round Elbow | 161 | Quadrilaterals of Various Formations, Definitions of | 16, 17 |
| Oval to Round Four Piece Elbow. Simple Method .. | 174 | Radial Line Developments Applied to Regular Tapering Forms | 100 |
| Oval to Round Two Pronged Fitting | 194 | Radiator Fan Housing, Pattern Details for | 302 |
| Pan, Flaring Oval | 110 | Radiators, Automobile, "V" Front | 299 |
| Parabola, Definition of | 18 | Raising and Seaming Ship's Ventilator | 255 |
| Parallel Line Development | 34 | Rectangular Elbows or Square | 40 |
| Peened Elbows, Hand | 38 | Rectangular Elbows or Square, Curved | 42 |
| | | Rectangular Offset, Twisted, Full Size Patterns for .. | 352 |
| | | Rectangular Pipe, Allowance for Edges and Method of Construction | 79 |
| | | Rectangular Pipe, Oblique, Intersecting a Cylinder at End, Tangent at One Side | 93 |

| | PAGE | | PAGE |
|--|---------|--|------|
| Rectangular Pipe, of Equal Area to Given Round Pipe, Dimensions of | 366 | Round Tank, of Given Diameter and Contents in Gallons, Finding Height of | 362 |
| Rectangular Pipe of Area Equal to that of Two Round Branches, Dimensions of | 366 | Round Tank, Tapering, Area, Capacity and Convex Surface of | 363 |
| Rectangular Pipe Offset, Compound | 45 | Round Taper Joints | 316 |
| Rectangular Pipe, Twisted | 78 | Round to Rectangular Angular Boot. Simplified Demonstration | 181 |
| Rectangular Profile of Angular Boot, Changing Position of | 182 | Round to Round Tapering Y Branch. Simplified Demonstration | 189 |
| Rectangular Vertical Flue to Have the Combined Areas of Six Vent Ducts, Dimension of | 368 | Rowboat, Metal, Construction of | 286 |
| Reduced Drawings for Laying Out Full Size Patterns | 351 | Ruling Pen, Uses of | 10 |
| Reduced Drawing of Large Transformer, Constructing | 359 | Safety Guard Around Tumbling Barrel | 349 |
| Reducing Elbow, Compound Curved | 59 | Scale Rule, Architect's, Uses of | 11 |
| Reducing Joint of No. 13 Gauge Metal | 338 | Scale Rule, Uses of | 10 |
| Reducing Joint, Square Pipe. A Quick Method | 315 | Scalene Cones Developed From Tapering Forks | 194 |
| Reinforced Belt Guard | 349 | Scalene or Oblique Cone | 102 |
| Refuse Can Top | 86, 236 | Seat Backs, Automobile | 301 |
| Register Heater Fittings, Single. Simplified Demonstration | 220 | Shield Over Pilot House Windows | 275 |
| Regular Polygon, Construction of | 27 | Shield Over Steam Pipes | 276 |
| Regular Polyhedrons | 20, 21 | Ship's Ventilator, Computation Applied to Obtaining Patterns for | 255 |
| Revolving Ventilator | 323 | Ship's Ventilator, Hammered, With Round Mouth and Round Base, Made in Eight Longitudinal Sections | 249 |
| Right Cone, Definition of | 100 | Ship's Ventilator, Hammered, With Round Mouth and Round Base, Made in Four Longitudinal Sections. Short Rule for | 248 |
| Right Cone, Frustum of and Oblique Rectangular Pipe, Central Intersection Between | 126 | Ship's Ventilator Having a Round Mouth and a Round Base, Made in Girth Sections. Simplified Method | 245 |
| Right Cone, Frustum of, Central Intersection to Vertical Cylinder | 119 | Ship's Ventilator, Laying Out to Accord with Standard Proportions | 244 |
| Right Cone, Frustum of, Intersected by Oblique Cylinder, Eccentrically | 127 | Ship's Ventilator, Raising and Seaming | 255 |
| Right Cone, Frustum of, Intersected by Oblique Rectangular Pipe Placed Eccentrically | 130 | Ship's Ventilator, With Oval Mouth and Round Base. Simplified Method | 252 |
| Right Cone, Frustum of, Intersected Centrally by Horizontal Rectangular Pipe | 118 | Shoe for Cold Air Box | 224 |
| Right Cone, Frustum of, Intersecting Cylinder at an Oblique Angle | 124 | Shoe Collar, Round to Oblong with Semi-Circular Ends | 85 |
| Right Cone, Frustum of, Intersection to Rectangular Pipe, Placed Diagonally | 120 | Short Rule for Chimney Base | 322 |
| Right Cone, Frustum of, Making a Tangent Intersection with Horizontal Round Pipe | 122 | Short Rule for Hammered Ship's Ventilator with Round Mouth and Round Base, Made in Four Longitudinal Sections | 248 |
| Right Cones, Two, Whose Axes Run Parallel, Intersections Between | 137 | Short Rules in Pattern Drafting | 311 |
| Rises of Elbows, Table, Computed in Decimals | 311 | Single Register Heater Fittings. Simplified Demonstration | 220 |
| Rivet Center of Gasoline Tank, Finding | 283 | Sitz Bath | 110 |
| Riveted Pieced Elbows of No. 11 Gauge Metal | 336 | Size of Continuing Main, with Branches Deducted .. | 369 |
| Round Main in Three Pronged Fork, Diameter of ... | 370 | Size of Square Main in Three Branched Fitting Whose Outlets are Square but Vary in Size | 370 |
| Round Main in Two Branched Fork, Diameter of ... | 370 | Sizes of Pipe, Calculating by Aid of the Steel Square | 368 |
| Round Main of Area Equal to That of Two Square Branches, Diameter of | 367 | Sizes of Pipe in Trunk Line System by Aid of the Steel Square | 369 |
| Round Pipe, Oblique, Intersecting Main Round Pipe Centrally at End | 94 | Sizes of Round Pipes in Ventilating System, Computing | 367 |
| Round Pipes in a Ventilating System, Computing Sizes of | 367 | Smoke Head, "Liverpool" | 254 |
| Round Pipes, Two, of Dissimilar Diameters, Connected by Gusset Piece | 96 | Smoke Hood, Vertical on One Side | 152 |
| Round Tank, Finding Circumference, Convex Surface, Area and Capacity of | 361 | Smoke Stack Base | 150 |

| | PAGE | | PAGE |
|---|---------------|--|------|
| Smoke Stack, Combination, and Ventilator | 325 | Tank, Round, of Given Diameter and Contents in Gallons, Finding Height of | 362 |
| Smoke Stack of No. 11 Gauge Metal | 334 | Tank, Round Tapering, Area, Capacity and Convex Surface of | 363 |
| Solids, Geometrical | 19, 20, 31-32 | Tank, Square, of Given Bottom Dimensions and Contents in Gallons, Height of | 362 |
| Solids, Intersection of and the Development of Surfaces | 34 | Tank, Gasoline, Finding Rivet Centers for | 283 |
| Spacing Dividers, Uses of | 10, 11 | Tank, Square, Finding Perimeter, Outer Surface, Area and Capacity of | 362 |
| Spiral, Definition of | 19 | Taper Joint, Full Size | 351 |
| Spiral Chute, Details for | 226 | Taper Joint Having Slight Taper. Quick Method .. | 326 |
| Spiral Strip in a Dust Collector | 231 | Taper Joint, Level at Bottom. A Short Rule | 328 |
| Sponge Rubbers, Uses of | 13 | Taper Joints, Round | 316 |
| Spout and Conical Boss | 285 | Tapering and Conical Surfaces | 100 |
| Spouts, Down, Connecting Two to One Pipe | 330 | Tapering Automobile Hoods | 293 |
| Square, to Construct | 27 | Tapering Branch, Intersecting the Corner of a Rectangular Pipe at an Oblique Angle in Elevation .. | 115 |
| Square Hopper, Tapering, of Given Dimensions and Contents in Bushels, Height of | 363 | Tapering Connection from Duct Line to Ventilator.. | 271 |
| Square Main in Three Branched Fitting Whose Outlets are Square but Vary in Size | 370 | Tapering Connection, Joining a Round Pipe at an Oblique Angle | 113 |
| Square or Rectangular Elbows | 40 | Tapering Connection to Round Pipe | 111 |
| Square or Rectangular Elbows, Curved | 42 | Tapering Elbow. A Short Rule | 327 |
| Square Pipe, Reducing Joint. A Quick Method | 315 | Tapering Elbow in Ventilating System. A Short Method | 269 |
| Square Pipe, Twisted | 147 | Tapering Elbow, Four Pieced Ninety Degree | 140 |
| Square Pyramid or Transition Piece, Frustum of | 107 | Tapering Elbow, Three Pieced, Sixty Degree | 139 |
| Square Root, Extracting | 367 | Tapering Forms, Regular | 100 |
| Square Tank, Finding Perimeter, Outer Surface, Area and Capacity of | 362 | Tapering Pipe Without Use of Radius. Short Method .. | 326 |
| Square Tank of Given Bottom Dimensions and Contents in Gallons, Height of | 362 | Tapering Round Measure, Height of, When the Diameters and Number of Gallons are Given | 364 |
| Square to Round Transition Elbow, Three Piece, Straight on One Side | 161 | Tapering Square Hopper of Given Dimensions and Contents in Bushels, Height of | 363 |
| Square to Round Two Pronged Fork | 186 | Tapering Transition Joint | 107 |
| Stack Constructed of No. 11 Gauge Metal | 334 | Tapering Y Branch Developed from Scalene Cones .. | 194 |
| Stack, Double, for Steamer, Construction of | 288 | Tapering Y Branch, Round to Round. Simplified Demonstration | 189 |
| Stack, Smoke and Ventilator, Combination | 325 | Tapering Y Branch—Obtaining Tapering Forks from Scalene Cones | 194 |
| Stack, Smoke, Base of | 150 | Tees: | |
| Steamer Stack, Double, Construction of | 288 | Tee Branch, Developing. Simplified Method | 312 |
| Steam Pipe Shield | 276 | Tee Joint Between Pipes of Dissimilar Diameters at an Oblique Angle, Placed off Centers | 73 |
| Steel Square Applied to Calculating Pipe Sizes | 368 | Tee Joint Between Pipes of Dissimilar Diameters, Placed on Centers at an Oblique Angle | 72 |
| Straight Back Y Branch. A Quick Method | 330 | Tee Joint, Ninety Degree, Between Pipes of Equal Diameter | 68 |
| Straight Edge, Uses of | 9 | Tee Joint, Oblique, Between Pipes of Equal Diameter at an Oblique Angle | 69 |
| Straight Line, Dividing into Equal Parts | 27 | Tee Joint, Oblique, Between Round and Rectangular Pipes | 75 |
| Straight Line Parallel to a Given Line, to Draw | 26 | Tee Joint Having Double Offset, in Dissimilar Pipe .. | 76 |
| Straight Line, to Bisect | 27 | Tee Joint, Irregular | 238 |
| Streamline Body, Combined with Tapering Dash Hood .. | 308 | Tee, Ninety Degree, for Dissimilar Pipes Placed on Centers | 71 |
| Strip, Spiral, in Dust Collector | 231 | Tee, Offset, Transition, Square to Rectangular | 81 |
| Switch, Pipe Connection to | 226 | Terms, Alphabetical List of | 24 |
| Table of U. S. Standard Gauges and Weights of Sheets | 334 | | |
| Tangent Intersection Between Horizontal Round Pipe and Frustum of a Right Cone | 122 | | |
| Tank and Bilge Pump. Short, Accurate Method | 284 | | |
| Tank, Gasoline, Construction and Pattern for | 281 | | |
| Tank, Round, Finding Circumference, Convex Surface, Area and Capacity of | 361 | | |

| | PAGE | | PAGE |
|---|---------|---|------|
| Terms and Definitions | 14 | Round to Oblong with Semicircular Ends, Vertical at One End | 83 |
| Three Piece Boot of Ninety Degree, Forty-five Degree or Straight Connection | 177 | Ship's Ventilator, with Oval Mouth and Round Base, From Oval to Round, in Girth Sections. Simplified Method | 252 |
| Three Piece Elbow, Rectangle to Square | 161 | Tapering Connection from Duct Line to Ventilator | 271 |
| Three Piece Elbow, Round to Round, with the Aid of a Plan | 157 | Tee, Offset, Square to Rectangular | 81 |
| Three Piece Elbow, Round to Round, Without the Aid of a Plan | 159 | Triangles of Various Formations, Definitions of | 16 |
| Three Piece Elbow, Square to Round, Straight on One Side | 161 | Triangles, Uses of | 7, 9 |
| Three Piece Elbows to Which the Simplified Method of Triangulation May be Applied | 160 | Triangulation Applied to Irregular Forms | 145 |
| Three Piece Ninety Degree Elbow | 35 | Trough of Heavy Metal | 280 |
| Three Piece Sixty Degree Tapering Elbow | 139 | Trough, Water, Without Corners, Chamber in | 237 |
| Three Piece Transition Elbow, Square to Round, Straight on One Side | 161 | True Elevation and Miter Lines of Elbow Having Double Offset | 88 |
| Three Pronged Fitting. Simplified Demonstration .. | 202 | Trunk Line System Pipe, Finding Sizes of by Aid of Steel Square | 369 |
| Three Way Branch, Halves Symmetrical, Center Branch Conical. Side Branches Developed by Triangulation | 207 | T-Square and Triangles, Method of Using | 7 |
| Three Way Branch, Irregular | 209 | T-Squares, Swivel Head | 9 |
| Three-Way Branch, Shortened Layout | 331 | T-Squares, Uses of | 9 |
| Thumb Tacks, Uses of | 13 | Tumbling Barrel Safety Guard | 349 |
| Tracing Cloth, Uses of | 12 | Twisted Elbow | 63 |
| Tracing Paper, Uses of | 12 | Twisted Offset in Rectangular Pipe | 79 |
| Trammels or Beam Compass with Parts | 12 | Twisted Oval Fitting, Solved by the Simplified Method | 148 |
| Trammels, Uses of | 11 | Twisted Pipe, Laying Out, Simplified Method | 315 |
| Transformer, Large, Rectangle to Round. Obtaining Patterns by Means of Reduced Drawings | 355 | Twisted Rectangular Offset, Full Size Patterns for .. | 352 |
| Transitions: | | Twisted Rectangular Pipe | 78 |
| Compound Double Curve | 262 | Twisted Square Pipe | 147 |
| Compound Offset from Round to Rectangular | 163 | Two Branch Fitting. Simplified Demonstration | 266 |
| Connection from Blower to Ventilation Pipe. Shortened Method | 273 | Two Cones, Intersections at an Oblique Angle | 132 |
| Curved Elbow, Inclined | 264 | Two Piece Angular Elbows Developed with Aid of Plan | 153 |
| Elbow Connecting Rectangular Pipes. Simple Method | 317 | Two Piece Angular Elbow Developed Without Aid of Plan | 155 |
| Elbow. Formal Rule | 319 | Two Piece Elbow, Oval to Round—Halves not Symmetrical, Preparing Plan and Elevation of | 156 |
| Elbow, Rectangle to Rectangle | 240 | Two Piece Ninety Degree Elbow | 35 |
| Elbow, Three Piece, Square to Round, Straight on One Side | 161 | Two Pipes of Elliptical Profiles, Connecting to Form an Offset | 171 |
| Irregular Y, from a Rectangular Main, to Vertical, Round and Horizontal Square Branches. Simplified Demonstration | 197 | Two Pronged Fitting, Oval to Round | 194 |
| Joint, Tapering | 107 | Two Pronged Fork, Round to Round, Without the Aid of a Plan | 187 |
| Offset, Rectangle to Square | 80, 170 | Two Pronged Fork, Square to Round | 186 |
| Offset, Round to Oblong with Semi-Circular Ends .. | 84 | Two Pronged Fork, Straight on One Side | 191 |
| Piece, from Quarter Round Corners to Square Corners | 105 | Two Pronged Furnace Fitting, Rectangular to Round. Simplified Method | 193 |
| Piece, Frustum of, Square Pyramid or | 107 | Two Right Cones, Whose Axes Run Parallel, Intersections Between | 137 |
| Piece, Penetrated by Cylinder | 222 | Two Round Pipes of Dissimilar Diameters, Connected by Gusset Piece | 96 |
| Rectangle to Round, of Heavy Metal | 339 | Uses of Long and Shortened Methods of Triangulation | 145 |
| Rectangular to Round, Using the Short or Simplified Method | 151 | Various Tapering Automobile Hoods | 293 |
| Round to Oblong with Semicircular Ends | 82 | Ventilator Combined with Smoke Stack | 325 |
| | | Ventilator, Revolving | 323 |

| | PAGE | | PAGE |
|---|------|--|------|
| Ventilator, Ship's, Hammered, With Round Mouth and Round Base, Made in Eight Longitudinal Sections | 249 | Water Trough Chamber, Without Corners | 237 |
| Ventilator, Ship's, Hammered, With Round Mouth and Round Base, Made in Four Longitudinal Sections, Short Rule for | 248 | Weights and Gauges of Sheet Metal, Table of | 334 |
| Ventilator, Ship's, Having a Round Mouth and a Round Base, Made in Girth Sections. Simplified Method | 245 | Window Shield, Pilot House | 275 |
| Ventilator, Ship's, To Lay Out by Standard Proportions | 244 | Y Branch, Irregular, Forming Transition from Rectangular Main, to Vertical, Round and Horizontal Square Branches. Simplified Demonstration | 197 |
| Ventilator, Ship's, With Oval Mouth and Round Base. Simplified Method | 252 | Y Branch, Tapering—Obtaining Tapering Forks from Scalene Cones | 194 |
| Vertical Flue, Rectangular, to Have the Combined Areas of Six Vent Ducts, Dimension of | 368 | Y Branch, Tapering, Round to Round. Simplified Demonstration | 189 |
| Vertical Smoke Hood | 152 | Y Branch with Straight Back, Laying Out. A Quick Method | 330 |
| "V" Front Automobile Radiator | 299 | Y Elbows Offset | 48 |
| | | Y Joint, Rectangular to Round, Patterns of from Reduced Dimensions | 357 |

SUPPLEMENTARY SOLUTIONS AND TABLES

| | | | |
|--|------|---|-----|
| Branches, Compound Double Offset, Square to Two Round Branches | 302 | Offset, Double Branch, Square to Two Round Branches | 302 |
| Branches, Transition, with Double Outlets | 308 | Offset, Double Curved, Having Similar Height and Projection | 291 |
| Breeching, Round to Oval, Simplified Method | 378 | Offset, Double Curved and Straight Section, within Given Dimensions | 292 |
| Canopy, Range, Having Similar, Also Dissimilar Profiles | 385 | Offset, Double Curved, with Projection Greater than Its Height | 292 |
| Canopy, Range, Construction Features | 385 | Offset, Double in Duct Crossing Girder Obliquely | 372 |
| Canopy, Range, Patterns | 383 | Offset, Rectangular to Round, within Given Dimensions | 293 |
| Cone, Right, Intersecting Center of a Three-Piece Elbow | 310d | Offset, Rules for Maintaining the Full Area of Ducts | 291 |
| Double Branch Fittings of Dissimilar Sizes | 382 | Offset, Transition, Geometrical and Short Rule | 297 |
| Elbow, Angular Transition, between Vertical and Horizontal Square Ducts | 310 | Pittsburgh Lock, Applied on Rectangular Elbows | 382 |
| Elbow Cheek, Transition, Square to Rectangular, within Given Dimensions | 293 | Stack Work, Laying Out with Heavy Metal | 401 |
| Elbow, Complex | 405 | Table of Capacity of Cylinders or Tanks in U. S. Gallons | 387 |
| Elbow, Compound, Curved for Regular Duct, Time Saving Method | 380 | Table of Decimal Equivalents of Fractional Parts of a Gallon | 390 |
| Elbow, Compound, Double-Curved, Twisted, Offset | 305 | Table of Number of U. S. Gallons in Square or Rectangular Tanks One Foot in Depth | 390 |
| Elbow, Double Curved Angular, Joining Main Duct | 371 | Transition Elbow Cheek, Square to Rectangular, within Given Dimensions | 293 |
| Elbow, Octagonal, Compound, Tapering | 394 | Transition, Irregular | 398 |
| Elbow, Offset, Square to Rectangular | 295 | Transition, Offsetting, Rectangular to Square | 293 |
| Elbow, Pieced, Round or Ova., within Given Dimensions | 294 | Transition, Offsetting, Rule for Computing Size of Square to Equal Rectangular | 293 |
| Elbow, Reverse Center. Reverse Offset | 299 | Transition, with Double Outlets | 308 |
| Elbow, Square to Round, Five-Piece, Tapering | 374 | Twisted, Compound, Double Curved Fitting | 391 |
| Elbow, Transitional, Square to Rectangular, Compound Curve, Area Uniform | 381 | | |
| Offset, Designing, Round, Square or Rectangular | 291 | | |